AQsonic
Feel the natural
evolution

LCD Touch Monitors

AQ-215

LCD touch Screen 15 inch, 5 wire resistive, USB or Serial connector, available Black 2 years warranty

AQ-412

Professional LCD Touch monitor series
> 12,15,17 and 19 inch are available, special strong base with tilt, Black or Ivory colour, External power supply, VESA wall mount. 5 wires, USB, Serial or PS2

AQ-415

Professional LCD Touch monitors series
> 12,15,17 and 19 inch are available, special strong base with tilt, Black or Ivory colour, External power supply, VESA wall mount. 5 wires, USB, Serial or PS2 or PS2

Part #	Description	List
AQ-215		
70000-BS	AQ-215-BS, 15" LCD Touch screen Resistive, Serial Black, 5 wires	**CALL**
70000-BU	AQ-215-BU, 15" LCD Touch screen Resistive, USB, Black, 5 wires	**CALL**
AQ-412		
70001-BS	AQ-412-BS, 12,1" LCD Touch screen Resistive Serial, Svga 800x600, 200:1,Black,5 wire	**CALL**
70001-BU	AQ-412-BU, 12,1" LCD Touch screen Resistive USB, Svga 800x600, 200:1,Black, 5 wire	**CALL**
70002-IS	AQ-412-IS, 12,1" LCD Touch screen Resistive Serial, Svga 800x600, 200:1,Ivory,5 wire	**CALL**
70002-IU	AQ-412-IU, 12,1" LCD Touch screen Resistive USB, Svga 800x600, 200:1,Ivory,5 wire	**CALL**
AQ-415		
70001-BS	AQ-415-BS, 12,1" LCD Touch screen Resistive Serial, Svga 800x600, 200:1,Black,5 wire	**CALL**
70001-BU	AQ-415-BU, 12,1" LCD Touch screen Resistive USB, Svga 800x600, 200:1,Black, 5 wire	**CALL**
70002-IS	AQ-415-IS, 12,1" LCD Touch screen Resistive Serial, Svga 800x600, 200:1,Ivory,5 wire	**CALL**
70002-IU	AQ-415-IU, 12,1" LCD Touch screen Resistive USB, Svga 800x600, 200:1,Ivory,5 wire	**CALL**

Part #	Description	List

AQ-417

70005-BS	AQ-417-BS, 17" LCD Touch screen Resistive Serial, SXga 1280x1024, 400:1,Black, 5 wire	**CALL**
70005-BU	AQ-417-BU, 17" LCD Touch screen Resistive USB, SXga 1280x1024 , 400:1,Black, 5 wire	**CALL**
70006-IS	AQ-417-IS, 17" LCD Touch screen Resistive Serial, SXga 1280x1024, 400:1,Ivory, 5 wire	**CALL**
70006-IU	AQ-417-IU, 17" LCD Touch screen Resistive USB, SXga1280x1024, 400:1,Ivory, 5 wire	**CALL**

AQ-419

70019-BS	AQ-419-BS, 19" LCD Touch screen Resistive Serial, SXga1280x1024, 550:1,Black,5 wire	**CALL**
70019-BU	AQ-419-BU, 19" LCD Touch screen Resistive USB, SXga1280x1024, 550:1,Black, 5 wire	**CALL**

LCD Touch Monitor Options

8050028	AQ-WALL, Wall mount Vesa AQ-400 series adjustable angle	**CALL**
20003	AQ-722-I, Magnetic Stripe Reader 3T ,Ivory AQ-412	**CALL**
20004	AQ-722-B, Magnetic Stripe Reader 3T ,Black AQ-412	**CALL**
20005	AQ-725-I, Magnetic Stripe Reader 3T ,Ivory AQ-415	**CALL**
20006	AQ-725-B, Magnetic Stripe Reader 3T ,Black AQ-415	**CALL**
20501	AQ-800-FSM, Finger Print + Smart Card reader + MSR AQ-812/AQ-712/AQ-412	**CALL**

AQsonic
Feel the natural
evolution

LCD Touch Monitors

AQ-417

12,15,17 and 19 inch are available,special strong base with tilt, Black or Ivory color, External power supply, VESA wall mount. 5 wires, USB, Serialor PS2

AQ-419

12,15,17 and 19 inch are availables, special strong base with tilt, Black or Ivory color, External power supply, VESA wall mount. 5 wires, USB, Serial or PS2.

LCD Touch Monitors Options

AQsonic
Feel the natural
evolution

Touch Terminal Series

AQ-615

Take a look at our new Thin Client POS Terminal, affordable, can be connected to a Server and use as an intelligent POS system, with Windows XP embedded, 512 RAM Memory and 15 inch LCD touch monitor, optionally MSR and finger print integrates.

All-in-one Point of Sales

AQ-712

The 700 series is Hi-tech Elegant, 12 or 15 inch, based in Celeron 850 or Pentium III, Black or Ivory.

AQ-715

The 700 series is Hi-tech Elegant, 15 inch, based in Celeron 850 or Pentium III, Black or Ivory, Internal CD rom

Part #	Description	List
AQ-615		
70011-BU-XP	AQ-615-B, 15 " Touch POS Thin-Client, Black,512 Mb Ram ,tilt, Window XP Embedded	**CALL**
Options		
20550	AQ-800-FP, Finger Print internal kit AQ-815-B optical type	**CALL**
20525	AQ-800-MSR, MSR internal kit, 3 Tracks for AQ-815/AQ-615	**CALL**

Part #	Description	List
AQ-712		
70007-BU-NOS	AQ-712-B, 12" Touch POS system Black, Celeron,850 Ghz,DDR 128 Mb, HD 40Gb,No OS	**CALL**
70007-BU-W2	AQ-712-B, 12" Touch POS system Black, Celeron 850 Ghz,DDR 256 Mb, HD 40Gb, Windows 2000	**CALL**
70007-BU-XP	AQ-712-B, 12" Touch POS system Black, Celeron 850 Ghz,DDR 256 Mb, HD 40Gb, Windows XP	**CALL**
AQ-715		
70009-BU-NOS	AQ-715-B, 15" Touch POS system Black, Celeron 850 Ghz,DDR 128 Mb, HD 40Gb, No OS	**CALL**
70009-BU-W2	AQ-715-B, 15" Touch POS system Black, Celeron 850 Ghz,DDR 256 Mb, HD 40Gb, Windows 2000	**CALL**
70009-BU-XP	AQ-715-B, 15" Touch POS system Black, Celeron 850 Ghz, DDR 256 Mb, HD 40Gb, Windows XP	**CALL**

Part #	Description	List
AQ-417		
20003	AQ-722-I, Magnetic Stripe Reader 3 tracks Ivory for AQ-712	**CALL**
20004	AQ-722-B, Magnetic Stripe Reader 3 tracks Black for AQ-712	**CALL**
20005	AQ-725-I, Magnetic Stripe Reader 3 tracks Ivory for AQ-715	**CALL**
20006	AQ-725-B, Magnetic Stripe Reader 3 tracks Black for AQ-715	**CALL**
20100	AQ-800-CDR, Internal CD rom AQ-700 series	**CALL**
30003	AQ-300-LI, LCD Customer Pole Display for integrated & stand alone Ivory 2 x 20 c. serial	**CALL**
30004	AQ-300-LB, LCD Customer Pole Display for integrated & stand alone Black 2 x 20 c. serial	**CALL**
30005	AQ-730-I, VFD Customer Pole Display integrated & stand alone Ivory 2 x 20 c. serial	**CALL**
30006	AQ-730-B, VFD Customer Pole Display integrated & stand alone Black 2 x 20 c. serial	**CALL**
8070020	AQ-CPU-1, Upgrade from Celeron 850 to Pentium III, 1,0 Ghz	**CALL**
8080040	AQ-RAM-2, Upgrade from 256 Mb RAM to 512 Mb RAM	**CALL**

Part #	Description	List
AQ-812		
70014-BU-NOS	AQ-812-B, 12" Touch POS system Black, Pentium IV, Cel.1,2 Ghz, DDR 256 Mb, HD 40Gb, No OS	**CALL**
70014-BU-W2	AQ-812-B, 12" Touch POS system Black, Pentium IV, Cel.1,2 Ghz ,DDR 256 Mb, HD 40Gb, Win 2000	**CALL**
70014-BU-XP	AQ-812-B, 12" Touch POS system Black, Pentium Iv, Cel.1,2 Ghz, DDR 256 Mb, HD 40Gb, Win Xp	**CALL**

AQsonic
Feel the natural
evolution

All-in-one Point of Sales

700 SERIES Options

All-in-one

AQ-812

When Space is Important.

Our AQ-812 model stands out in small spaces. 12 inch touch panel, Pentium IV architecture, fast with all the latest options in the market.

Optional FSM integrated module, comes with all in one finger print sensor, smart card reader, magnetic stripe reader.

AQsonic
Feel the natural
evolution

ALL-IN-ONE

AQ-815

When we are looking for something more.

This equipment is the most precise, fitted with 15 inch, Touch panel, Pentium IV architecture and avant-garde features like finger print recognition.

Elegant, Functional design makes internal components Easily accessible.

AQ-6500 POS

POS System has a PC/BASE structure and open system for mobility function. FLX-ATX main board with easy maintenance and hospitality environments.

Low power CPU solve the problem of internal over heating

Part #	Description	List
AQ-815		
70020-BU-NOS	AQ-815-B, 15" Touch POS system Black Pentium IV,Cel 1,2 Ghz,DDR 256 Mb, HD 40Gb, No OS	**CALL**
70020-BU-W2	AQ-815-B, 15" Touch POS system Black, Pentium IV,Cel 1,2 Ghz,DDR 256 Mb, HD 40Gb, Win 2000	**CALL**
70020-BU-XP	AQ-815-B, 15" Touch POS system Black Pentium IV,Cel 1,2 Ghz,DDR 256 Mb, HD 40Gb, Win Xp	**CALL**

800 series Options		
20525	AQ-800-MSR, Magnetic Stripe Reader 3 tracks integrated	**CALL**
20550	AQ-800-FP, Finger Print senor integrated Optical type	**CALL**
30001	AQ-300-VI, Customer Pole Display VFD, integrated & stand alone Ivory	**CALL**
30002	AQ-300-VB, Customer Pole Display VFD, integrated & stand alone Black	**CALL**
30003	AQ-300-LI, Customer Pole Display LCD, integrated & stand alone Ivory	**CALL**
30004	AQ-300-LB, Customer Pole Display LCD, integrated & stand alone Black	**CALL**
8080040	AQ-RAM-2, Upgrade from 256 RAM memory to 512 RAM	**CALL**
8080060	AQ-CPU-2, Upgrade from Pentium IV 1,2 Ghz to Pentium IV 2,0 Ghz.	**CALL**

Part #	Description	List
AQ-6500 POS		
71001	AQ-6500-I, POS AQ-6500, power supply, Keyboard P102, C1.0 Gb Ivory	**CALL**
71002	AQ-6500-B, POS AQ-6500, power supply, Keyboard P102, C1.0 Gb Charcoal	**CALL**
71003	AQ-6500-BCC, POS case AQ-6500, power supply, Keyboard P102, Charcoal	**CALL**
71004	AQ-6500-ICC, POS case AQ-6500, power supply, Keyboard P102, Ivory	**CALL**

BlueStar
Your Solutions Distributor

AQsonic
Feel the natural
evolution

Part #	Description	List
AQ-7000		
40700	AQ-7000-I, Cash Drawer Ivory RJ-12, 5-bill, 8-coin adjustable	**CALL**
40701	AQ-7000-B, Cash Drawer Black RJ-12 5-bill, 8-coin adjustable	**CALL**
40700	AQ-7000-I-OC, Cash Drawer Ivory RJ-12, 5-bill, 8-coin adjustable, Switch Open/close	**CALL**
40701-OC	AQ-7000-B-OC, Cash Drawer Black RJ-12, 5-bill, 8-coin adjustable, Switch Open/close	**CALL**
40707	AQ-RS110, Universal KIT RS-232 Cash Drawer AQ-7000 110v.	**CALL**
40708	AQ-RS220, Universal KIT RS-232 Cash Drawer AQ-7000 220v.	**CALL**

Part #	Description	List
AQ-300		
50000	AQ-09-I, 9 inch Monitor Svga/m Ivory	**CALL**
50007	AQ-09-B, 9 inch Monitor Svga/m Black	**CALL**
30001	AQ-300-VI, VFD Serial Display 2x20 Ivory ,include power supply and cables	**CALL**
30002	AQ-300-VB, VFD Serial Display 2x20 Black ,include power supply and cables	**CALL**
30003	AQ-300-LI, LCD Display 2x20 Ivory include power supply, and cables	**CALL**
30004	AQ-300-LB, LCD Display 2x20 Black include power supply and cables	**CALL**

Part #	Description	List
AQ-810-2D		
20600	AQ-810-2D, 10 inch Monitor second display, pass through	**CALL**
20601	AQ-812-2D, 12 inch Monitor second display, pass through	**CALL**

**Please call your BlueStar Rep for information on the Touch version*

Cash Drawers

AQ-7000

Everything Proof.

Highly resistant electronic cash drawers RJ-12 standard connection.

Easily convert to RS232 with our special Kit.

Designed to match AQsonic touch Monitors and POS systems.

Pole Customer Display

AQ-300

New LCD technology we produce at this moment, the new Blue High Light, only test it!!! Stand alone or integrate in our POS line.

Second Display

AQ-810-2D

New Second Display, stand alone or integrated in our POS systems 600,800 series. 10 or 12 inch are available, black colour